

SBC635MBINKDPL

33.5" x 24.0" x 25.38" (H x W x D)

Built-in commercial beer dispenser, auto defrost w/digital thermostat, diamond plate door, and TB handle; sold without tap kit for do-it-yourselfers

Highlights:

- Allows you to install your own custom tap equipment
- Full-sized capacity to hold half, quarter, 1/6 or mini kegs
- Designed for built-in installation under the counter
- Textured diamond plate door in aluminum with polished towel bar handle offers an industrial look




Full-sized beer dispenser	Large 5.7 cu.ft. interior can accept a full half barrel keg, two 1/6 barrel kegs, or a pony keg
Built-in capable	Make the best use of space by installing your appliance under the counter; NOTE: if installing flush with wall or cabinets, unit will require extra space due to the door design. Width should be 25" to 25 1/4". For more information, see the user manual
NO TAP KIT	Install your own tapping equipment for a customized beer cooler
Digital thermostat	Electronic controls ensure easy temperature management, with an external readout in Celsius or Fahrenheit
Ideal beer temperature	Operates between 33° and 50°F to keep a variety of beers stored at just the right serving temperature
Automatic defrost	Reduced maintenance with auto defrost system
Diamond plate door	Textured diamond plate finish in wrapped aluminum creates a unique industrial look
Professional towel bar handle	Curved handle in polished stainless steel completes the look
Fully finished black cabinet	Allows the unit to be used freestanding

Casters
included (ship
unassembled)

To make the beer dispenser portable, install this set of 2 1/2" high locking casters

SBC635MBINKDPL Specifications:

Height	33.5"
Width	24.0"
Depth	25.38"
Capacity	5.7 cu.ft.
Ext Depth with Handle	27.88"
Interior Height 1	28.0"
Interior Width 1	20.5"
Interior Depth 1	19.0"
Comp Step Height	8.25"
Shipping Weight	140.0 lbs.
Weight	110.0 lbs.
Canadian Electrical Safety	ULC
US Electrical Safety	UL
Amps	1.5
Voltage/Frequency	115 V AC/60 Hz
Reversible	Factory Reversible
Door Swing	RHD
Wheel Quantity	4
Defrost Type	Automatic
Temperature Range	33° to 50° F
Depth with door at 90°	47.0"
Fan Type	Exterior
Thermostat Type	Digital
Refrigerant Type	R134a
Low Side PSI	110.0
Freon Oz	2.65
High Side PSI	250.0
Compressor Warranty	5 Years
Parts/Labor Warranty	1 Year



Summit Appliance Division, Felix Storch, Inc.
 770 Garrison Ave • Bronx, NY 10474
 Phone: 718-893-3900 • Fax: 718-842-3093
 Email: info@summitappliance.com